

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of June 30, 2004  
Prisoners only

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	245	13	0	.	245	13
AIDS-CD4 Only	690	37	0	.	690	37
HIV Only	908	49	0	.	908	49
-----	-----	---	-----	---	-----	---
Total	1843	100	0	.	1843	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	240	13	0	.	240	13
5-12	0	0	Black, Not Hispanic	1181	64	0	.	1181	64
13-19	0	0	Hispanic	401	22	0	.	401	22
20-29	61	3	Other/Unknown	21	1	0	.	21	1
30-39	513	28	-----	-----	---	-----	---	-----	---
40-49	889	48	Total	1843	100	0	.	1843	100
50+	380	21							
Unk.	0	0							
-----	-----	---							
Total	1843	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	84	6	0	0	84	5
Injection drug user (IDU)	862	58	227	66	1089	59
MSM/IDU	75	5	0	0	75	4
Heterosexual contact	119	8	56	16	175	9
Risk not reported/other***	357	24	63	18	420	23
-----	-----	---	-----	---	-----	---
Total	1497	100	346	100	1843	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2004.

\*\* 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Prisoners only

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	764 ( 33)	647 ( 85)	0 ( .)	0 ( .)	764 ( 33)	647 ( 85)
Other OI w/o PCP	500 ( 22)	377 ( 76)	0 ( .)	0 ( .)	500 ( 22)	377 ( 76)
KS Alone	17 ( 1)	12 ( 71)	0 ( .)	0 ( .)	17 ( 1)	12 ( 71)
No Disease Listed	1010 ( 44)	320 ( 34)	0 ( .)	0 ( .)	1010 ( 44)	320 ( 34)
Total	2291 (100)	1356 ( 61)	0 ( .)	0 ( .)	2291 (100)	1356 ( 61)

2. Age *	Cases %		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	307	13	0	.	307	13
5-12	0	0	Black, Not Hispanic	1534	67	0	.	1534	67
13-19	#	#	Hispanic	439	19	0	.	439	19
20-29	327	14	Other/Unknown	11	0	0	.	11	0
30-39	1216	53	-----	-----	---	-----	---	-----	---
40-49	633	28	Total	2291	100	0	.	2291	100
Over 49	112	5							
Unknown	#	#							
-----	-----	---							
Total	2291	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	93	5	0	0	93	4
Injection drug user (IDU)	1512	75	214	80	1726	75
MSM/IDU	112	6	0	0	112	5
Heterosexual contact	96	5	36	13	132	6
Risk not reported/other***	209	10	19	7	228	10
-----	-----	---	-----	---	-----	---
Total	2022	100	269	100	2291	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Prisoners only

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	44	44	100%
1985	40	40	100%
1986	66	65	98%
1987	85	82	96%
1988	101	95	94%
1989	124	104	84%
1990	117	96	82%
1991	117	106	91%
1992	146	108	74%
1993	207	158	76%
1994	240	163	68%
1995	252	122	48%
1996	177	72	41%
1997	74	28	38%
1998	82	22	27%
1999	68	18	26%
2000	98	12	12%
2001	79	11	14%
2002	84	6	7%
2003	76	#	#
2004	14	#	#
-----	-----	-----	-----
Total	2291	1356	59%

New Jersey Division of HIV/AIDS Services  
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004  
Prisoners only

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	-----	---		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	135	14	0	.	135	14
5-12	0	0	Black, Not Hispanic	637	64	0	.	637	64
13-19	7	1	Hispanic	206	21	0	.	206	21
20-29	199	20	Other/Unknown	12	1	0	.	12	1
30-39	463	47	-----	-----	---	-----	---	-----	---
40-49	271	27	Total	990	100	0	.	990	100
Over 49	50	5							
Unknown	0	0							
-----	-----	---							
Total	990	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	39	5	0	0	39	4
Injection drug user (IDU)	432	56	129	61	561	57
MSM/IDU	28	4	0	0	28	3
Heterosexual contact	59	8	34	16	93	9
Risk not reported/other***	220	28	49	23	269	27
-----	-----	---	-----	---	-----	---
Total	778	100	212	100	990	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Prisoners only

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	1281	39	0	.	1281	39
AIDS-CD4 Only	1010	31	0	.	1010	31
HIV Only	990	30	0	.	990	30
-----	-----	---	-----	---	-----	---
Total	3281	100	0	.	3281	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	0	0	White, Not Hispanic	442	13	0	.	442	13
5-12	0	0	Black, Not Hispanic	2171	66	0	.	2171	66
13-19	22	1	Hispanic	645	20	0	.	645	20
20-29	639	19	Other/Unknown	23	1	0	.	23	1
30-39	1672	51	-----	-----	---	-----	---	-----	---
40-49	806	25	Total	3281	100	0	.	3281	100
Over 49	142	4							
Unknown	0	0							
-----	-----	---							
Total	3281	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	132	5	0	0	132	4
Injection drug user (IDU)	1944	69	343	71	2287	70
MSM/IDU	140	5	0	0	140	4
Heterosexual contact	155	6	70	15	225	7
Risk not reported/other***	429	15	68	14	497	15
-----	-----	---	-----	---	-----	---
Total	2800	100	481	100	3281	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Prisoners only

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	56	48	86%
1985	50	45	90%
1986	96	80	83%
1987	109	101	93%
1988	144	118	82%
1989	179	139	78%
1990	189	126	67%
1991	194	139	72%
1992	345	153	44%
1993	314	147	47%
1994	260	120	46%
1995	253	99	39%
1996	177	45	25%
1997	116	22	19%
1998	117	15	13%
1999	97	14	14%
2000	212	12	6%
2001	116	7	6%
2002	128	6	5%
2003	104	#	#
2004	25	#	#
-----	-----	-----	-----
Total	3281	1438	44%